



香港特別行政區政府

民航處

**Civil Aviation Department**

The Government of the Hong Kong

Special Administrative Region

**CAD 452**

Aircraft Maintenance Schedules and Programmes

Information and Guidance

**Issue 2 Revision 4**

**5 July 2024**

**Intentionally Left Blank**

## **Foreword**

1. This document addresses the scheduled maintenance requirements for aircraft as required by Article 9(1)(a) of the Air Navigation (Hong Kong) Order 1995 (AN(HK)O).
2. The information given is correct at the time of issue of this document, but amendments to the Air Navigation (Hong Kong) Order 1995, Hong Kong Airworthiness Notices and Hong Kong Aviation Requirements may subsequently vary the information.

## **Enquires**

Enquiries on this document should be addressed to the email address <awo@cad.gov.hk>.

**Intentionally Left Blank**

## Contents

Paragraph	Subject	Page
	<b>Preambles</b>	viii
<b>1</b>	<b>Introduction</b>	1
<b>2</b>	<b>Maintenance Schedules and Maintenance Programmes</b>	2
2.1	Maintenance Schedules	2
2.2	Maintenance Programmes	2
2.3	Compilation of Maintenance Schedules	2
2.4	Application for Approval of Maintenance Schedules	4
2.5	Amendment of Maintenance Schedules	4
<b>3</b>	<b>New Maintenance Schedules - Initial Task Compilation</b>	5
3.1	Maintenance Review Board (MRB)/Maintenance Type Board (MTB)	5
3.2	Maintenance Steering Group (MSG) Analysis	5
3.3	Maintenance Planning Document (MPD)	6
3.4	Other Tasks	6
3.4.1	Certification Maintenance Requirements (CMRs)	6
3.4.2	Airworthiness Limitation Items (ALIs)	7
3.4.3	Critical Design Configuration Control Limitations (CDCCLs)	7
3.4.4	Zonal Inspections	7
3.4.5	Lubrication	7
3.4.6	Inspection Level	8
3.4.7	Other Items	8
3.5	Task Frequency	8
3.6	Engine Tasks	9
3.6.1	Turbine Engines	9
3.6.2	Piston Engines	9
3.7	Propeller Tasks	9
<b>4</b>	<b>Other Crucial Elements</b>	10
4.1	Reliability Programmes	10
4.2	Annual Review	10
4.3	Utilisation	10
4.4	Task Escalation	11

<b>5</b>	<b>Applicability</b>	12
5.1	Registration	12
5.2	Mixed Age and Modification of Fleets	12
5.3	Adding Aircraft to Maintenance Schedules	12
5.4	Bridging Checks	13
<b>6</b>	<b>Other Considerations</b>	13
6.1	Work Packaging	13
6.2	Repairs	13
6.3	Regulatory Requirements	14
6.4	Specific Approvals (LVO, RVSM etc.)	14
6.5	Task Variations	14
6.6	Human Factors Considerations	14

## **Appendices**

Appendix A	Maintenance Schedule Compliance Checklist
Appendix B	Standard Clauses for Insertion in Maintenance Schedule Introductory Pages
Appendix C	Operator's Certification Statement
Appendix D	Maintenance Requirements
Appendix E	Reserved
Appendix F	Maintenance Schedule Approval
Appendix G	Reserved
Appendix H	Reserved
Appendix I	Maintenance Schedule Amendment Request Form

## PREAMBLES

The preambles are intended to be a summarised record of the main changes introduced by the amendment of CAD 452.

### *Issue 2 Revision 2*

*1 March 2014*

- Amended Appendix E to give guidance on the application of the manufacturers' prescribed tolerances or permitted variations.

### *Issue 2 Revision 3*

*15 March 2019*

- Revised the term 'Duplicate Inspection' as 'Duplicate/Independent Inspection' and added a Note to indicate that Duplicate Inspection will be phased out with effect from 1 January 2020.
- Added a term Extended Diversion Time Operations (EDTO).
- Minor typo and editorial changes

### *Issue 2 Revision 4*

*5 July 2024*

- Minor editorial changes.
- Relocated the HKAR-1 Sub-section 1.5-2 'Maintenance Review Board / Maintenance Type Board' to paragraph 3.1 of CAD 452.
- Relocated paragraph 3 'Human Factors Consideration' of HKAR-1 Sub-section 1.7-5 Appendix 1 to paragraph 6.6 of CAD 452.
- Add submit application form DCA 584 requirement in paragraphs 2.4, 2.5 and 5.3.
- Add the requirement for an operator's Aircraft Maintenance Schedule procedures should contain the information stated in Appendix F for "Permitted Variations to Maintenance Periods" in paragraph 6.5.
- Minor editorial changes to Maintenance Schedule Compliance Checklist.
- Combined Appendices E, F, G and H into Appendix F and with changes made.
- Minor changes to Appendix I.
- Delete forms DCA 281 and DCA 281/2/1. The information on the forms is transferred to Appendix F.

## **1 Introduction**

In the early days of aviation, owners and engineers concerned with in-flight failures and component reliability developed Maintenance Schedules to help prevent costly occurrences. As aviation grew and scheduled air transport arrived, safety, reliability and economics became important in order to attract passengers. It became apparent that to achieve a controlled balance between safety and economics, Regulatory Authorities needed to ensure minimum standards were maintained and a level playing field existed for fair competition between operators.

What to maintain, when to maintain and how to maintain, are the keys to the content of the Maintenance Schedules, and a system was developed for Operators, Manufacturers and Regulators to share experience and knowledge on these issues for new aircraft being developed. Some Commercial Air Transport operators may choose to maintain their aircraft in accordance with a Maintenance Programme. This is a 'real time system' which consists of a Maintenance Schedule and a whole group of review and management procedures to ensure that it remains realistic and effective.

Article 9(1)(a) of AN(HK)O requires that an aircraft registered in Hong Kong in respect of which a Certificate of Airworthiness is in force, shall not fly unless the aircraft (including in particular its engines), together with its equipment and radio station, is maintained in accordance with a Maintenance Schedule approved by the Chief Executive in relation to that aircraft.

This document is intended to give information and guidance for the compilation of a Maintenance Schedule that will satisfy CAD for approval. Further help and guidance can be provided by the Manufacturer of the product in question.

## **2 Maintenance Schedules and Maintenance Programmes**

### **2.1 Maintenance Schedules**

A Maintenance Schedule contains details of what is to be maintained on an aircraft and how often. The details are those published by the Manufacturer who may also be the Type Certificate Holder (TCH) of that product. As the aircraft will consist of an airframe, engine, propeller and other equipment, there will be several sources of basic information. Not only will there be details of 'What and When' but also 'How' the parts are to be maintained; there are also details on the types of tasks that are to be performed.

The Maintenance Schedule should be based on the documents developed under the process specified in section 3 of the International MRB/MTB Process Standard (IMPS) published by the International MRB Policy Board. The IMPS document is available for download in the EASA website.

For piston-engine aeroplanes or helicopters not exceeding 2730 kg MTWA, CAD accepts the Manufacturer's maintenance recommendations. Alternatively, CAD may accept the generic 'Light Aircraft Maintenance Schedule' (LAMS) published by the United Kingdom Civil Aviation Authority (UKCAA), CAP 411 or CAP 412, respectively, as the basis of the Maintenance Schedule if the Manufacturer's maintenance recommendations are not available.

Owners and operators should be aware that properly maintained records not only assist in maintaining the safety of an aircraft but also help retain the resale value of an aircraft.

To assist owners/operators, CAD encourages the use of CAD 543 (Time Limited Task and Component Change Record) in conjunction with the aircraft maintenance schedule to control the overhaul life of engines, propellers and any other piece of equipment that may be installed.

### **2.2 Maintenance Programmes**

In its simplest form, a Maintenance Programme is a Maintenance Schedule together with a host of procedures that are designed to continually review its applicability and effectiveness for the aircraft it is approved for.

### **2.3 Compilation of Maintenance Schedules**

As previously stated, the first place for information is the Manufacturer/TCH documentation that is relevant to the aircraft being operated. As data will be obtained from several manuals,

there will be a collection of tasks to be accomplished at varying intervals. These intervals can be based either on flying hours, flight cycles or calendar time and sometimes there are combinations of these. It is quite often inconvenient to take each task as it comes and accomplish it; it is usually expedient to parcel the tasks into packages of work that can be carried out when it is convenient to do so, but at a frequency not exceeding the approved intervals. The general rule that can be applied for compiling work packages is that tasks can quite often be done earlier than when recommended. They can only be done later with the agreement of CAD and only in exceptional circumstances. So for tasks that have more than one frequency in terms of flying hours, flight cycles and calendar time, then the event that occurs first is normally the governing one.

For large transport aircraft, the tasks can be found in the Maintenance Planning Document provided by the TCH, these are described further in Paragraph 3 of this document. Smaller aircraft usually have the TCH recommended maintenance in the Maintenance Manual Chapter 5.

The frequency of maintenance tasks is affected by the way the aircraft is to be operated. When the TCH recommendations are first compiled they will have in mind a 'typical' flight profile for the aircraft type; any deviation from this may need an adjustment on the basic recommendations. For example, an aircraft may have a 'typical' flight profile of six hours for every cycle while another may be of six cycles every hour. It can be seen that in these cases a schedule based solely on flying hours may mean the first aircraft is maintained too often and the other not enough, so, with the help of the TCH, usually a schedule can be developed for any particular type of operation.

The area of operation is another important consideration, for example operating over salt water may require special tasks, such as engine compressor washes and other maintenance, to be done on a more frequent basis. Similarly, operation in sandy areas or off rough strips may affect the tasks required.

The age of an aircraft may affect the number and frequency of tasks, particularly if it has ageing structural inspections and significant repairs.

Significant parts of the aircraft, such as make and type of engines, propellers and/or APU, should be detailed as quite often operators have a choice of equipment and adding the same type with a different engine to a common schedule will mean careful identification of tasks applicable to each aircraft. Finally, the modification state of equipment onboard has to be considered as it may be unique to the aircraft on any particular Maintenance Schedule.

To assist operators in preparing the Maintenance Schedule and showing compliance, CAD has produced following documents.

- a) Maintenance Schedule Compliance Checklist (See Appendix A) to be submitted with the draft Maintenance Schedule
- b) Standard Clauses for Insertion in Maintenance Schedule Introductory Pages (See Appendix B) to be used as a template when preparing the Maintenance Schedule
- c) Operator's Certification Statement (See Appendix C) to be submitted with the draft Maintenance Schedule.
- d) Maintenance Requirements (See Appendix D) that should be adopted in the absence of manufacturer's recommendations

## **2.4 Application for Approval of Maintenance Schedules**

An operator shall submit an application form DCA 584 with the application letter and supporting documents in electronic format to CAD for the approval of the Maintenance Schedule. The application letter should be accompanied by the draft Maintenance Schedule, the Maintenance Schedule Compliance Checklist and the Operator's Certification Statement. The letter shall specify the revision status of the MRBR, MPD, CMR, airworthiness/time limitation and other relevant manufacturer's documents based upon which the Maintenance Schedule is drafted. The operator should include the information contained in Appendix F in the Maintenance Schedule.

Upon satisfactory assessment of the Maintenance Schedule, CAD will issue an approval letter in electronic format to the operator.

## **2.5 Amendment of Maintenance Schedules**

Once established, an owner or operator may wish to amend the Maintenance Schedule due to addition or deletion of task, or change of task interval. This can be done with the aid of an amendment to the Maintenance Schedule, which is submitted to CAD for agreement and subsequent approval. To request approval of the Maintenance Schedule amendment, an operator shall submit an application form DCA 584 together with the Maintenance Schedule Amendment Request Form (Appendix I of CAD 452) and a cover letter in electronic format to CAD.

Doing tasks less frequently requires suitable justification in order that it may be approved. Proof that safety will not be compromised must be provided. Maintenance Schedules supported by a reliability programme will have an advantage here as they will readily be able

to show how often a task has been performed without deterioration of the item/system. CAD 418 (Condition Monitored Maintenance: an Explanatory Handbook) provides general information on the concepts and practices of aircraft maintenance control by the use of Condition Monitored Maintenance Programmes. More information can be found in Paragraph 4 of this document.

### **3 New Maintenance Schedules - Initial Task Compilation**

#### **3.1 Maintenance Review Board (MRB) / Maintenance Type Board (MTB)**

The following gives guidance on the procedures of conducting a Maintenance Review Board (MRB) or Maintenance Type Board (MTB) for a new aircraft type or type variant. The MRB Report or MTB Report contains the minimum set of tasks, developed under the Maintenance Steering Group (MSG) logic process where applicable, required for an aircraft's maintenance schedule/programme.

**3.1.1** CAD will inform the Type Design Organisation whether an MRB or MTB is to be established for a new aircraft type or type variant.

**3.1.2** CAD accepts the International MRB/MTB Process Standard (IMPS) document (Document No. IMPS), published by the International Maintenance Review Board Policy Board (IMRBPB), as the procedures for use in the MRB/MTB process.

**3.1.3** If an aircraft type which has been subject to the MRB/MTB process is modified by Supplemental Type Certificate, the relevant systems, powerplant and structure must be reviewed to determine the maintenance requirements, i.e. instructions for continuing airworthiness, as a result of the modification.

**3.1.4** The IMPS document can be located in the IMRBPB website: [www.easa.europa.eu/easa-and-you/aircraft-products/international-maintenance-review-board-policy-board-IMRBPB](http://www.easa.europa.eu/easa-and-you/aircraft-products/international-maintenance-review-board-policy-board-IMRBPB)

#### **3.2 Maintenance Steering Group (MSG) Analysis**

This is basically a process driven by a set of logic diagrams that are followed by the MRB and Working Groups in order to determine the types and frequency of tasks, depending on component and system failure modes and the visibility of those failures to the operating crew.

For more information on MSG analysis, please contact Airlines for America at

www.airlines.org as the owner of this analysis logic.

### **3.3 Maintenance Planning Document (MPD)**

All the maintenance tasks identified during the MSG analysis are published in the MRB Report. These tasks, along with other tasks such as Airworthiness Limitations Items (ALIs) considered applicable by the Manufacturer/TCH, are all published in the MPD, and hence, this is the source document that the operator of a new aircraft type has to follow when compiling the Maintenance Schedule.

### **3.4 Other Tasks**

#### **3.4.1 Certification Maintenance Requirements (CMRs)**

CMRs arise from the aircraft type certification process. FAR/CS 25.1309, for example, requires a System Safety Assessment (SSA) to ensure that failures are categorized on their consequential severity and within defined bounds of probability.

A CMR is a required periodic task, established during the design certification of the aircraft as an operating limitation of the type certificate. CMRs usually result from a formal, numerical analysis conducted to show compliance with catastrophic and hazardous failure conditions. A CMR is intended to detect safety significant latent failures that would, in combination with one or more other specific failures or events, result in hazardous or catastrophic failure condition.

Major aircraft manufacturers predominantly refer to two types of CMR task:

a) One Star CMR (CMR\*)

Such tasks and intervals are mandatory and shall not be changed or deleted without the approval of the State of Type Certification Authority.

b) Two Star CMR (CMR\*\*)

Changes to task intervals must be supported by an approved procedure and monitoring programme. Tasks may not be changed or deleted without the agreement of the State of Registry Authority.

**NOTE:** It is important to read carefully the introduction to the TC Holder's data that is being used for the production of a Maintenance Schedule. Some manufacturers

will use different terminology, for example, some TCHs have the opposite definition for One/Two Star tasks to other TCHs.

CMRs should be clearly identified as such in a Maintenance Schedule submitted to CAD for approval. Any subsequent applications for approval to vary these tasks must be supported by the TCH. Care should be taken in understanding the Manufacturer's certification philosophy as some do allow short-term variations of these tasks.

### **3.4.2 Airworthiness Limitation Items (ALIs)**

ALIs are structural items that the Certification process has defined as critical from a fatigue point of view during the Damage Tolerance assessment. The inspection frequency of such items is Mandatory.

### **3.4.3 Critical Design Configuration Control Limitations (CDCCLs)**

CDCCLs are design features that have been identified as being critical to the integrity of the Fuel System and must be maintained in order to ensure that unsafe conditions do not develop throughout the service life of the aircraft and must be retained during modification, repair or maintenance.

### **3.4.4 Zonal Inspections**

The inspection level for the Zonal tasks in each Maintenance Schedule must be clearly defined, since interpretation of the MSG rule may differ between aircraft types and their respective Zonal Programmes. The MRB report should provide clearly defined criteria and in most cases this is repeated in the MPD.

The principle of Zonal inspections is to group tasks within an area together, in order to minimise the number of times an area is disturbed. Systems, installations and structure within a zone will all be inspected for security and general condition.

### **3.4.5 Lubrication**

During the Working Group phase of the MRB process, the MSG analysis has lubrication as the first consideration when looking at reducing a risk of failure of a component or system. It is a relatively quick and cost effective method of preventive maintenance.

Lubrication requirements may either be in the ATA chapters of the Maintenance Schedule

with the daily and weekly check or in a specific lubrication section defining the intervals determined by the MRB.

Rescheduling of the lubrication frequency may be necessary if a check cycle is changed or the operating pattern is changed, so that degradation does not result. Deterioration may take some time to be evident so the effectiveness of a lubrication programme must be monitored.

### **3.4.6 Inspection Level**

There are no defined standards of inspection level; different manufacturers will have applied their own standards and these need to be understood and published in the Maintenance Schedule. Types of Inspection, such as General Visual Inspection (GVI), Detailed Inspections (DVI), etc., can be found in the MSG documents published by the Airlines for America.

### **3.4.7 Other Items**

There are significant parts of aircraft that also have mandatory lives that are not determined by the Certification process but arise due to their significance and use. Such items may include the rotating assembly within an engine, transmission parts of helicopters and landing gear parts.

## **3.5 Task Frequency**

The maintenance task will have a time interval allocated based on the most appropriate parameter to maintain the condition of the item to which the task refers. The three types of frequency are: Flying hours, Flight cycles and Calendar time; sometimes there will be two limits with the operator normally having to comply with whichever limit comes first in their particular operation.

In cases of structural inspections, the threshold and repetitive inspection frequency can vary depending on the type of operation being used. When reviewing the effectiveness of a Maintenance Schedule, or carrying out an annual review, it is the frequency of all the tasks that is being considered. Reliability monitoring is the continual monitoring of task frequency. It is permissible to amend these frequencies recommended by the manufacturer by making an application to CAD. As the operation of an aircraft is usually unique to an operator, a conscientious owner/operator will develop their maintenance schedule in accordance with reliability data to minimise costs.

## **3.6 Engine Tasks**

Turbine powered engines, by implication, are more complex than piston ones and the way their lives and reliability are managed is significantly different, so they will be treated separately below.

### **3.6.1 Turbine Engines**

Turbine engine reliability is based on a Condition Monitored Maintenance Programme for both on-wing and off-wing tasks. CAD 418 was developed by CAD to provide guidance as to what should be contained in a Condition Monitored Maintenance Programme, a part of the Maintenance Schedule.

By implication Auxiliary Power Units, being Turbine powered, are treated in a similar manner.

Engine Maintenance Programme is complicated and requires some expert control. On-wing health monitoring may include regular oil analysis (such as Spectrometric Oil Analysis Program), magnetic plug inspections and borescope inspection. Modules may have separate lives, generally hot sections being shorter than cold ones, with rotating parts have finite cyclic lives. Removed engines need agreed worksopes and good strip reports to remain in compliance with the Engine Maintenance Programme. For gas turbine engine parts subject to retirement or ultimate (scrap) lives, Hong Kong Airworthiness Notice No. 44 should be referred to.

### **3.6.2 Piston Engines**

Piston engines work on a manufacturer's 'recommended' overhaul life. CAD views this 'recommended' life as the life limit of the engines concerned. Some aircraft not used for commercial air transport may have the life of their engine extended beyond that recommended by the manufacturer. Please refer to Hong Kong Airworthiness Notice No. 35 for CAD requirements on piston engine overhaul periods of light aircraft.

## **3.7 Propeller Tasks**

For maintenance requirements of variable pitch propellers installed on aircraft holding a Certificate of Airworthiness, refer to Hong Kong Airworthiness Notice No. 75.

## **4 Other Crucial Elements**

### **4.1 Reliability Programmes**

There is guidance in CAD 418 on what constitutes a Reliability Programme. Typically, on a monthly basis, an operator will review Technical Log entries, component failures (in particular - cause of failure), delays, Ground Incident Reports, Mandatory Occurrence Reports (MORs) and findings from task cards and look for trends or areas of deterioration that can be addressed by taking some kinds of preventative maintenance action.

Operators/Owners whose aircraft with MTWA do not exceed 2730 kg are exempted from this requirement. It has also been found that for fleets of six or fewer aircraft, insufficient data is produced to maintain an accurate programme and hence, alternative procedures need to be established whereby events rather than trends are monitored.

### **4.2 Annual Review**

At least once a year an owner or operator should meet and discuss with their contracted maintenance organisation and fleet technical management organisation on the performance of the aircraft over the preceding period of time. As already stated a good Maintenance Schedule will make an aircraft more reliable, cheaper to run and more available.

### **4.3 Utilisation**

The utilisation of an aircraft is inextricably linked to the effectiveness of a Maintenance Schedule. When optimised for a certain utilisation, tasks will lose their effectiveness if the relationship between Flying Hours and Flight Cycles varies by a significant amount. The MRB Report will set task intervals to meet, what they have considered to be a 'typical' flight profile for their product. For example, an aircraft type might reasonably have been considered to have a profile of about seven Flying Hours to one Flight Cycle. An operator then chose to use the aircraft on thirty-minute sectors. By using the original MRB Report derived data the operator would suffer failures due to the flight hour tasks not being done soon enough to protect the cyclic dependent parts and systems.

Operators are required to state their expected annual utilisation in the Maintenance Schedule. The expected annual utilisation can either be a “range” (in Flight Hours and/or Flight Cycles) or a definite “figure”. Part of the annual review of effectiveness is to determine that operations are within the “range” specified or in the case of a “figure”, the “figure” remains within plus or minus 25% of that “figure”. In case of operations outside the “range”, or have

deviated for 25% or more of the “figure”, the Operator should conduct a review of the Maintenance Schedule with the TCH to see if any amendment is required.

Quite often manufacturers will produce a 'low utilisation' programme for operators doing very low hours, for example, executive jet operation. This can be a cost effective solution for such an operator.

Finally, Supplemental Structural Inspection Programmes (SSIP) can have different inspection frequencies dependent on the type of operation. Details of these can be found in the introduction of the SSIP document itself.

#### **4.4 Task Escalation**

Following a period in operation it may be noticed that a particular inspection task is carried out routinely and no faults are ever detected. It is possible that the task frequency can be reduced, such that the task is carried out less frequently, provided that the inspection task is performed in accordance with the inspection standards required by the Maintenance Schedule. This gives an immediate cost saving with no loss of safety or reliability.

Task escalation is carried out on a grander scale by the manufacturers, as less frequent tasks mean lower maintenance costs for their products, which they perceive makes them more saleable. They achieve this by holding working group meetings, where a group of operators and regulators meet with the manufacturer to review the results of scheduled inspections pooled by as many operators as they can get interested. This is basically a way of validating their original predictions for task requirements, which would have been understandably quite conservative.

In order to escalate the tasks, they will revisit the failure rates that the type design requires to achieve, and apply operational experience to determine that the goal of no loss of safety or reliability can still be met with less frequent inspections.

## **5 Applicability**

An aircraft can only be maintained to one Maintenance Schedule at any time. More than one aircraft, however, can be maintained to the same Maintenance Schedule, providing they all bear similarities which are covered by the entire Maintenance Schedule. The introductory part of the Maintenance Schedule shall therefore contain details of the aircraft to which it applies. Moving an aircraft from one Maintenance Schedule to another will require CAD approval of an amendment for each of the affected Maintenance Schedules. In this case, the operator needs to consider the differences between the two Maintenance Schedules and the need for a 'Bridging Check' to cater for such differences.

### **5.1 Registration**

Aircraft maintained to any Maintenance Schedule are listed by registration in the document. If a new aircraft is added, an amendment will be required to be submitted for CAD approval highlighting the changes.

### **5.2 Mixed Age and Modification of Fleets**

For a Maintenance Schedule with a number of aircraft of the same type on it, the varying ages and modification standards should be catered for, by highlighting effectivity of tasks that apply. For example, should two aircraft out of the fleet have an STC applied that does not feature on the others, then any task relevant to the STC should be included and clearly denoted in the Maintenance Schedule that the two aircraft are applicable.

It follows that any aircraft being added to a Maintenance Schedule is to be assessed by the operator for its modification standard and equipment fit to ensure the Maintenance Schedule adequately addresses the needs of the individual aircraft build/change standard. Should any further tasks need to be added, an amendment should be submitted to address these needs.

### **5.3 Adding Aircraft to Maintenance Schedules**

When adding an aircraft to a Maintenance Schedule, an application form DCA 584 in electronic format shall be submitted to CAD for amendment. As stated above, the commonality of the aircraft and the Maintenance Schedule must be established, in terms of modification standards, equipment fit, structural life inspections etc.

## **5.4 Bridging Checks**

A Bridging Check is a set of tasks required to transfer an aircraft from one Maintenance Schedule to another. Every operation is unique and hence an aircraft may have been maintained to the same tasks at a different frequency or to different maintenance standards in its previous operation. The Bridging Check is carried out to bring the tasks in line with the new frequencies and standards to ensure standards are met and no task is overrun.

## **6 Other Considerations**

### **6.1 Work Packaging**

Traditionally, the Maintenance Schedule of a large transport aircraft may contain defined periods of A and B line checks and C and D base checks. The tasks can be grouped in order to make more efficient use of down time and manpower. This requires complex packaging of tasks and imposes added responsibility on the operator to ensure repetitive inspections are controlled properly.

In order to save costs, operators will want to have the minimum number of maintenance checks done on their aircraft. Hence, they will select items with the same or close frequency and 'package' them into workpacks to be done together.

### **6.2 Repairs**

Since 1980, large transport aircraft have been designed with 'Damage Tolerant' structures. This means that the designers have calculated the expected lifetime loads experienced by the aircraft, when significant structural parts will begin to fail due to fatigue. In this way, they can determine suitable inspection frequencies and techniques to detect fatigue cracks long before the part fails.

During the aircraft's life, an aircraft can suffer from accidental damage, requiring some repair work to the structure. In most cases, the repair will return the damaged part to its 'as was' standard, and routine inspections of that piece of structure will continue as before. In some cases, Damage Tolerance analysis of the repair will require an interim inspection of it before the regular inspection period falls due. This new inspection requirement is now part of the Maintenance Schedule which should be amended to include these inspections.

### **6.3 Regulatory Requirements**

The CAD requirements regarding scheduled maintenance are set out in AN(HK)O 1995, CAD 360 Part Two, and Hong Kong Airworthiness Notices.

### **6.4 Specific Approvals (LVO, RVSM etc.)**

Operations such as Low Visibility Operations (LVO), Reduced Vertical Separation Minima (RVSM), etc. require specific approvals and are not used by everyone. They do, however, have specific maintenance requirements in order to maintain their accuracy. As such, any of these maintenance requirements must be included in the Maintenance Schedule.

### **6.5 Task Variations**

All maintenance must be carried out at, or before, the specified frequency. In some unforeseen circumstances, the task frequency, typically 10%, can be varied by the operator based on the privilege of ‘Permitted Variations to Maintenance Periods’ granted by CAD, per the approved operator Maintenance Schedule procedures. The Aircraft Maintenance Schedule should contain the information stated in Appendix F for “Permitted Variations to Maintenance Periods”.

Should the unforeseen circumstances dictate that the aircraft cannot meet its maintenance slot even with such a variation, the operator can apply to CAD for further variation. The form DCA 571 should be completed for the variation application and technically justified, with a timescale supported by the TCH. If accepted, the extension will be approved as a one-off change.

### **6.6 Human Factor Consideration**

The Maintenance Schedule shall be prepared with respect to its design and application to ensure that the Human Factors principles have been observed. E.g. the information is written in “simplified” English and readily understandable to the target audience. Guidance material on the application of Human Factors principles may be found in the ICAO Human Factors Training Manual (Doc 9683).

## Appendix A

### MAINTENANCE SCHEDULE COMPLIANCE CHECKLIST

The purpose of the Maintenance Schedule Compliance Checklist is to assist owners / operators with a view to ensuring that Maintenance Schedules submitted to CAD for approval are standardised and include all items that are required by CAD 452, and also other additional CAD required items. This checklist should be used when preparing a draft or re-issued Maintenance Schedule. When completed, it should be submitted with the draft or re-issued Maintenance Schedule. During routine amendments to the Maintenance Schedule, the checklist should be used as a reference to ensure compliance with CAD requirements. However, submission of the completed checklist is not required.

This document includes all the relevant information as detailed in CAD 452, the format of which may be modified to suit the operator's preferred method. In all cases, the checklist should clearly show either compliance (Yes) with the location of the compliance in the 'Notes' column or not applicable (N/A) with the reason(s) in the 'Notes' column.

The checklist is provided to ensure the minimum required items are contained in the Maintenance Schedule. It should be enhanced as necessary to suit the aircraft's operational, utilisation, and environmental needs.

The specific tasks and the relevant control procedures shall be included in the Maintenance Schedule (MS) and Maintenance Management Exposition (MME) of the operator respectively. The relevant cross-references shall be specified in the 'Notes' column at the appropriate paragraphs. The following information should be provided at the front of the checklist.

- a) AOC Number
- b) Owner's / Operator's Name
- c) Owner's / Operator's MS reference and amendment status:
- d) CAD approved MS reference (if granted)
- e) MME and amendment status

## MAINTENANCE SCHEDULE COMPLIANCE CHECKLIST

Details of the Maintenance Schedule:

1. General requirements			Compliance		Notes
			Yes	N/A	
1.1	Maintenance Schedule basic information:-				
	1.1.1	The type/model/and registration number of the aircraft			
		The type/model of the engines			
		The type/model of the propellers, where applicable			
		The type/model of the auxiliary power units, where applicable			
	1.1.2	The name and address of the owner, operator, maintenance organization or fleet technical management organisation managing the aircraft's airworthiness			
	1.1.3	The maintenance schedule reference, the date of issue and issue number			
	1.1.4	A signed statement. (See Appendix C)			
	1.1.5	Contents list			
		List of effective pages			
		Revision status of the document			
	1.1.6	Check periods for anticipated utilisation; in a "range" or plus or minus 25% of a "figure". <i>Where utilisation cannot be anticipated, calendar time limits should also be included</i>			
	1.1.7	Procedures for escalation where applicable and acceptable to CAD			
	1.1.8	Pre-flight maintenance tasks			
	1.1.9	The tasks and the periods (intervals / frequencies) at which inspections should be carried out, including the type and degree of inspection of the following, together with the associated systems and installations:			
		a. Aircraft			
		b. Engine(s)			
		c. APU			
		d. Propeller(s)			
		e. Components			
		f. Accessories			
		g. Equipment			
		h. Instruments			
		i. Electrical and radio apparatus			
	1.1.10	The periods at which components should be:			
		a. Checked			
		b. Cleaned			
		c. Lubricated			

		d. Replenished			
		e. Adjusted			
		f. Tested			
	1.1.11	Details of ageing aircraft system requirements with any specified Sampling Programmes, if applicable			
	1.1.12	Details of specific Structural Maintenance Programmes issued by TCH, if applicable, including but not limited to:			
		a. Damage Tolerance and Supplemental Structural Inspection Document (SSID)			
		b. Maintenance requirement resulting from Service Bulletin review performed by the TCH			
		c. Corrosion prevention and control			
		d. Repair Assessment			
		e. Widespread Fatigue Damage			
	1.1.13	Details of CDCCLs			
	1.1.14	Statement of the limit of validity for the Structural Maintenance Programme in 1.1.12, if applicable, in terms of flight cycles / flying hours / calendar time			
	1.1.15	The periods at which overhauls should be made			
		The periods at which replacements should be made			
	1.1.16	A cross-reference to other documents related to:			
		a. Mandatory life limitations			
		b. Certification Maintenance Requirements (CMR's), if applicable			
		c. Airworthiness Directives (AD)			
		d. Specific identification of the above items mandatory status			
	1.1.17	Reliability Programme			
	1.1.18	A statement that practices and procedures should be the standards specified by the TCH's maintenance instructions			
	1.1.19	The definition of each inspection type should be provided in a section			

2. Maintenance Schedule basis.		Compliance		Notes
		Yes	N/A	
2.1	Is the Maintenance Schedule based upon the MRB report, the TCH's Maintenance Planning Document or Chapter 5 of the Maintenance Manual?			
2.2	For newly type-certificated aircraft / comprehensively appraise the manufacturer's recommendations (MRB report) and other applicable continuing airworthiness information			
2.3	For existing aircraft types, comparisons with Maintenance Schedules previously approved			

2.4	ALIs, CMRs, and CDCCLs, etc			
<b>3. Amendments.</b>		<b>Compliance</b>		
		Yes	N/A	Notes
3.1	Amendments (revisions) to reflect changes:			
	a. In the TCH's recommendations			
	b. Introduced by modifications			
	c. Introduced by repairs			
	d. Discovered by service experience			
	e. As required by CAD			
<b>4. Permitted variations to maintenance periods</b> <i>(with the exception of items identified in 1.1.16)</i>		<b>Compliance</b>		
		Yes	N/A	Notes
4.1	Vary the periods through a procedure approved by CAD			
4.2	Vary the periods with the approval of CAD (Should contain in the operator Maintenance Schedule procedures )			
<b>5. Periodic review of Maintenance Schedule contents.</b>		<b>Compliance</b>		
		Yes	N/A	Notes
5.1	Periodic review to ensure that the Maintenance Schedule reflects current:			
	a. TCH's recommendations			
	b. Revisions to the MRB report if applicable			
	c. Mandatory requirements			
	d. Maintenance needs of the aircraft			
5.2	Annual review defined			
<b>6. Reliability Programmes.</b>		<b>Compliance</b>		
		Yes	N/A	Notes
6.1.	Applicability			
	6.1.1 Developed in the following cases:			
	a. Maintenance Schedule is based upon MSG-3 or later logic			
	b. Maintenance Schedule includes condition monitored components			
	c. Maintenance Schedule does not contain overhaul periods for all significant system components			
	d. Specified by the Manufacturer's MPD or MRB Report			
	6.1.2 Need not be developed in the following cases:			
	a. Maintenance Schedule is based upon the MSG-1 or 2 logic (only hard times or on condition items)			
	b. Not a large aircraft (= or < 5700 kgs MTWA or single-engined helicopter)			
	c. Maintenance Schedule provides overhaul periods for all significant system components			

	6.1.3	Operator may develop its own reliability monitoring programme			
6.2.	Applicability, small fleets				
	6.2.1	Less than 6 aircraft of the same type			
	6.2.2	Tailor reliability programmes to suit the size and complexity of the operation			
	6.2.3	“Alert levels” should be used carefully with small fleets			
	6.2.4	When establishing a Reliability Programme, consider the following:			
		a. Focus on areas where a sufficient amount of data is likely to be processed			
		b. How is engineering judgement applied?			
	6.2.5	Pool data and analysis (paragraph 6.6 specifies conditions)			
	6.2.6	If unable to pool data, additional considerations may need to be taken on the task interval of the MRB Report/MPD tasks			
6.3	Engineering Judgment				
	6.3.1	Are there appropriately qualified personnel (with appropriate engineering experience and understanding of the reliability concept) for the reliability programme?			
6.4	Contracted maintenance				
	6.4.1	Certain functions may be delegated to an HKAR-145 Organisation of a Fleet Technical Management Organisation			
	6.4.2	These are:			
		a. Developing the Maintenance Schedule and Reliability Programme			
		b. Collecting and analysing reliability data			
		c. Providing reliability reports			
		d. Proposing corrective actions			
	6.4.3	Approval to implement corrective action			
	6.4.4	Maintenance contract / MOE procedures			
6.5	Reliability Programme				
	6.5.1	Objectives			
	6.5.1.1	Statement summarising the prime objectives of the programme			
		a. Recognise the need for corrective action			
		b. Establish what corrective action is needed			
		c. Determine the effectiveness of that action			

	6.5.1.2	The extent of the objectives should be directly related to the scope of the programme			
	6.5.1.3	All MSG-3 related tasks are effective and their periodicity is adequate			
	6.5.2	Identification of items			
		The items controlled by the programme should be stated			
	6.5.3	Terms and definitions			
		Significant terms and definitions should be clearly identified			
	6.5.4	Information sources and collection			
	6.5.4.1	Sources and procedures in the Exposition			
	6.5.4.2	Type of information to be collected should be related to the objectives, examples of the normal prime sources:			
		a. Pilots Reports			
		b. Technical Logs			
		c. Aircraft Access Terminal / On-board readouts			
		d. Maintenance Worksheets			
		e. Workshop Reports			
		f. Reports on Functional Checks			
		g. Reports on Special Inspections			
		h. Stores Issues/Reports			
		i. Air Safety Reports			
		j. Reports on Delays and Incidents			
		k. Other sources: i.e. EDTO/ETOPS, RVSM, LVO			
	6.5.4.3	Due account of Continuing Airworthiness information promulgated under HKAR-21			
	6.5.5	Display of information.			
		Information displayed graphically or in tabular form or in combination			
	6.5.5.1	Provisions for “nil returns”			
	6.5.5.2	Where “standards” or “alert levels”, information oriented accordingly			
	6.5.6	Examination, analysis and interpretation of the information			
		Method for examining, analysing and interpreting the information should be explained			
	6.5.6.1	Methods of examination may be varied – content & quantity			
	6.5.6.2	The whole process should enable a critical assessment of the effectiveness of the programme as a total activity. May involve:			
		a. Comparisons of operational reliability with established or allocated standards			
		b. Analysis and interpretation of trends			

		c. Evaluation of repetitive defects			
		d. Confidence testing of expected and achieved results			
		e. Studies of life-bands and survival characteristics			
		f. Reliability predictions			
		g. Other methods of assessment			
	6.5.6.3	Range and depth of analysis should be related to the particular programme:			
		a. Flight defects and reductions in reliability			
		b. Defects - line and main base			
		c. Deterioration observed in routine maintenance			
		d. Workshop and overhaul findings			
		e. Modification evaluations			
		f. Sampling programmes			
		g. Adequacy of maintenance equipment and publications			
		h. Effectiveness of maintenance procedures			
		i. Staff training			
		j. Service bulletins, technical instructions, etc			
	6.5.6.4	Contracted maintenance - arrangements established and details for information input included			
6.5.7	Corrective Actions				
	6.5.7.1	Procedures / time scales for implementing corrective actions / monitoring - should be fully described and could include:			
		a. Changes to maintenance, operational procedures or techniques			
		b. Changes requiring amendment of the approved Maintenance Schedule			
		c. Amendments to approved manuals			
		d. Initiation of modifications			
		e. Special inspections / fleet campaigns			
		f. Spares provisioning			
		g. Staff training			
		h. Manpower and equipment planning			
	6.5.7.2	Procedures for effecting changes should be described			
6.5.8	Organisational Responsibilities				
	Organisational structure – chains of responsibility should be defined				
6.5.9	Presentation of information to CAD				
		Information submitted to CAD for approval of the Reliability			

		Programme:			
		a. Format and content of routine reports			
		b. Time scales for reports / distribution			
		c. Format and content of reports requesting amendments			
6.5.10	Evaluation and review				
	Describe procedures and individual responsibilities – continuous monitoring of the effectiveness of the programme				
	6.5.10.1	Procedures for revising the “standards” or “alert levels”			
	6.5.10.2	Criteria to be taken into account during the review includes:			
		a. Utilisation (high / low / seasonal)			
		b. Fleet commonality			
		c. Alert Level adjustment criteria			
		d. Adequacy of data			
		e. Reliability procedure audit			
		f. Staff training			
		g. Operational and maintenance procedures			
6.5.11	Approval of organisation to implement Maintenance Schedule changes arising from the Reliability Programme results:				
	a. Does the Reliability Programme monitor the content of the Maintenance Schedule in a comprehensive manner?				
	b. Is appropriate control exercised by the owner / operator over the internal validation of such changes?				
6.6	Pooling Arrangements				
	6.6.1	Pooling information – must be substantially the same, including:			
		a. Certification / modification / Service Bulletin compliance			
		b. Operational factors			
		c. Maintenance factors			
	6.6.2	Is there a substantial amount of commonality and if CAD agreed?			
	6.6.3	Is the aircraft on short-term lease? CAD may permit more flexibility?			
	6.6.4	Reliability Programme managed by the aircraft manufacturer if agreed by CAD			

7. CAD required items		Compliance		Notes
		Yes	N/A	
7.1	Details of who may issue a CRS			
7.2	Define which inspections/checks are considered to be base maintenance			
7.3	Maintenance Requirements, in the absence of manufacturer’s recommendations. (See Appendix D)			

	7.3.1	Aircraft battery capacity check / deep cycle			
	7.3.2	Emergency equipment			
	7.3.3	Emergency escape provisions:			
		a. Portable valise type life-rafts			
		b. Door & escape chutes / slides			
		c. Emergency exits / hatches			
	7.3.4	Flexible hoses			
	7.3.5	Fuel / oil system contamination checks			
	7.3.6	Pressure vessels			
	7.3.7	Seat belts and harnesses			
	7.3.8	Airworthiness notices - applicability			
	7.3.9	Vital points and control systems			
	7.3.10	Maintenance applicable to special operational approvals, if applicable:			
		LVO			
		RVSM			
		EDTO/ETOPS			
		MNPS			
		Transport of dangerous goods			
		Other (Specify) .....			
	7.3.11	Customer furnished equipment			
	7.3.12	Engine & APU condition monitored maintenance			
	7.3.13	Mandatory requirements as listed in Hong Kong Airworthiness Notices			
	7.3.14	Flight data recorder systems			
	7.3.15	Mode "S" transponder ICAO 24-bit aircraft addresses			
	7.3.16	In-flight entertainment systems			

Completed by: [Name and Position]

Signed and Date:

## Appendix B

### Standard Clauses for Insertion in Maintenance Schedule Introductory Pages

The purpose of this Standard Maintenance Practice is to ensure that the introductory pages of Maintenance Schedules are reasonably consistent and, where applicable, include the following items. Minor variation in the wording is acceptable providing that the intention remains clear.

#### 1 Annual Utilisation and Maintenance Review

In the preparation of this Maintenance Schedule (provide reference) to meet the requirements of the Air Navigation (Hong Kong) Order 1995, the recommendations made by the manufacturers have been evaluated and, where appropriate, have been incorporated. It is agreed that it is a duty of the Operator or his contracted Maintenance Organisation or Fleet Technical Management Organisation that subsequent maintenance recommendations, including airworthiness information promulgated in the Maintenance Review Board Report, Maintenance Planning Document, Service Bulletins, and Service Letters, etc., issued by the manufacturers, should be evaluated and, where appropriate, should be incorporated in this Maintenance Schedule by approved amendment procedures.

The periods/frequencies of the maintenance tasks in this Maintenance Schedule are generally based on an anticipated annual utilisation within the “range” specified or in the case of a “figure”, the “figure” remains within plus or minus 25% of that “figure”. In case of operations outside the “range”, or deviate for 25% or more from the “figure”, the Operator, or its contracted maintenance organisation, must review the maintenance tasks and periods with a view to making any necessary adjustments.

In addition to variations in utilisation, the data contained in this Maintenance Schedule will be reviewed at least annually by the Operator, or its contracted Maintenance Organisation, to ensure that the detailed requirements continue to be valid in the light of operating experience.

#### 2 Maintenance Schedule Applicability

This Maintenance Schedule is applicable only to the following aircraft:

Registration	Type	Serial No.

**NOTE:** Any changes in aircraft applicability must have prior approval by CAD.

### **3 Flying Times**

All periods in this Maintenance Schedule quoted in 'flying hours' are to be calculated and recorded on a 'Take-Off to Touch-Down' basis.

### **4 Certification of Maintenance**

Attention is drawn to the necessity of ensuring that the appropriate certification of maintenance is completed. The requirements are specified in the CAD Approval Document and Endorsements relating to this Maintenance Schedule.

### **5 Permitted Variations to Maintenance Periods**

The periods prescribed by this Maintenance Schedule may be varied subject to the conditions and limits contained in Permitted Variations to Maintenance Periods stated in the approved Maintenance Schedule .

### **6 Airworthiness Directives and Manufacturer's Service Information**

CAD 360 Air Operator's Certificates Requirements Document Part Two Chapter 4 requires the operator to assess airworthiness directive and manufacturer technical information. Airworthiness Directives (or documents of comparable intent) are issued by the Authority responsible for the type design of the aircraft/engine concerned whereas manufacturer technical information is in the form of Service Bulletins, Letters, Information Leaflets, etc. resulting from in-service experience.

Compliance with the mandatory requirements of the Authority responsible for the type design of the aircraft/engine must be achieved unless this requirement is varied by CAD.

Continuing Airworthiness and other Service Information must be continuously evaluated by the Operator or the contracted Maintenance Organisation or Fleet Technical Management Organisation and, where necessary, appropriate action must be taken to amend the Maintenance Schedule.

### **7 Fatigue Lives and Airworthiness Limitations Items**

Structural 'fatigue' lives and Airworthiness Limitations Items published by manufacturers are classified by CAD as mandatory for aircraft on the Hong Kong register.

## **8 Maintenance Practices and Procedures**

The practices and procedures necessary to accomplish the requirements of this Maintenance Schedule, or work resulting from its application, should be, as a minimum, to the standards recommended in:

- a) relevant Maintenance, Overhaul and Repair Manuals and where applicable
- b) reserved

## **9 Area or Zonal Inspection**

Where the term 'ZONAL' is used in this Maintenance Schedule, this is to be interpreted to mean that a general visual inspection is made for the general condition, security and leaks in the structure, systems and components and their installation in the specified zone or area. The inspection must be of sufficient depth to establish that any significant deterioration is identified and rectified to ensure that the general quality/condition of the zone/area is satisfactory until the next higher inspection becomes due.

## **10 Inspection Standards**

Unless otherwise stated, all inspection requirements are to be applied without removing an item from the aircraft or dismantling the item, group or sub-assembly unless dismantling is considered essential in order to ensure airworthiness. Where dismantling is required by this Maintenance Schedule, this is stated against the item concerned.

All significant terms and abbreviations used within this Maintenance Schedule to define each maintenance task are defined in accordance with the Type Certificate Holder's definitions, or, in the absence of formal definition, those quoted in World Airlines Technical Operations Glossary.

The inspection standards applied to individual inspection tasks must meet the requirements of the Type Certificate Holder's recommended standards and practices. In the absence of specific manufacturers' guidance, refer to MSG documents published by the Airlines for America or other approved data, as appropriate.

## **11 Condition Monitored Maintenance/Reliability Programme**

The method of data collection, analysis, corrective actions and reporting specified for the

implementation of this Approved Maintenance Schedule is prescribed in the current Reliability Programme Ref. XXXX, which constitutes part of the Maintenance Schedule.

## **12 Maintenance Requirements**

The introductory page should state that in the absence of manufacturer's recommendations, the maintenance requirements stipulated in Appendix D and listed below should be adhered to by operators.

- a) Aircraft battery capacity checks
- b) Emergency equipment
- c) Emergency escape provisions (as applicable)
- d) Flexible hoses
- e) Fuel/oil system contamination checks
- f) Pressure vessels
- g) Seat belts and harnesses
- h) Hong Kong Airworthiness Notices
- i) Vital points and control systems
- j) Maintenance applicable to specific aircraft operations
- k) Customer or buyer furnished equipment
- l) Engine and APU maintenance programme
- m) Mandatory requirements – Airworthiness directives and manufacturer's service information
- n) Flight recorder systems
- o) Mode "S" transponder ICAO 24-bit aircraft addresses
- p) In-flight entertainment systems

## Appendix C

### OPERATOR'S CERTIFICATION STATEMENT

In the preparation of this Maintenance Schedule to meet the requirements of AN(HK)O 1995 Article 9 and HKAR-1, the recommendations made by the aircraft, engine and equipment manufacturers have been evaluated and, where appropriate, have been incorporated.

This Maintenance Schedule lists the tasks and identifies the practices and procedures, which form the basis for the scheduled maintenance of the aircraft. The operator undertakes to ensure that these aircraft will continue to be maintained in accordance with this Schedule.

The data contained in this Schedule will be reviewed for continued validity at least annually in the light of operating experience.

It is accepted that this Schedule does not prevent the necessity for complying with any new or amended regulations or requirements published by CAD from time to time where these new or amended regulations may override elements of this Schedule.

It is understood that compliance with this Schedule alone does not discharge the operator from ensuring that the Schedule reflects the maintenance needs of the aircraft, such that continuing safe operation can be assured. It is further understood that CAD reserves the right to suspend, vary or cancel the approval of the Maintenance Schedule if the CAD has evidence that the requirements of the Maintenance Schedule are not being followed or that the required standards of airworthiness are not being maintained.

Name ..... Position.....

Signed .....

For and on behalf of operator:.....

Date: .....

**NOTE:** The post holder identified above is either the Accountable Manager or Quality Manager of the operator or when the aircraft's continuing airworthiness management is contracted to an approved organisation, the Accountable Manager or Quality Manager of such organisation.

## Appendix D

### MAINTENANCE REQUIREMENTS

#### (1) AIRCRAFT BATTERY CAPACITY CHECKS

Aircraft batteries shall be maintained in accordance with the manufacturer's recommendations. In the absence of any manufacturer's instructions, the following periods apply:

- a) Lead acid Battery – not exceeding 3 months.
- b) Ni-Cad Battery – not exceeding 4 months.

#### (2) EMERGENCY EQUIPMENT

The required Emergency Equipment will be maintained to a schedule based on the equipment manufacturer's recommendations. In addition, the following requirements are complied with in the Maintenance Schedule:

Emergency equipment is to be checked for correct complement, stowage, installation and expiry date(s) at suitable periods.

First Aid Kit(s) contents are checked at periods not exceeding 12 months.

#### (3) EMERGENCY ESCAPE PROVISIONS (as applicable)

##### a) Portable Valise Type Life rafts

At the appropriate Overhaul Period, 10% of all life rafts installed in fleets will be test inflated using system bottle and release mechanisms.

##### b) Reserved.

##### c) Emergency Exits/Hatches

All emergency exits and hatches are functioned by both internal and external means at periods specified in this Maintenance Schedule. In the absence of the manufacturer's specific recommendations, these should occur at suitable periods not exceeding six months of elapsed time.

#### (4) FLEXIBLE HOSES

Flexible hoses shall be inspected, overhauled or life limited in accordance with the

manufacturer's recommendations.

In the absence of manufacturer's recommendations, hoses shall be subject to a schedule of pressure testing at periods not exceeding six years from installation and at three years intervals thereafter, or in accordance with an alternative schedule as agreed by CAD.

#### (5) FUEL/OIL SYSTEM CONTAMINATION CHECKS

Consumable fluids, gases etc. uplifted prior to flight will be of the correct specification, free from contamination, and correctly recorded.

Fuel system water drain checks are to be carried out in accordance with operator's Maintenance Management Exposition procedures.

The procedures shall be in accordance with the manufacturer's recommendations. In the absence of manufacturer's recommendations, the frequency of the water drain checks shall be approved by the CAD.

#### (6) PRESSURE VESSELS

Oxygen/Nitrogen pressure vessels are to be overhauled or tested in accordance with manufacturer's recommendations. In the absence of any such recommendations the periods specified in British Standard Institute Standard (BSI) BS5430-2 should be followed.

#### (7) SEAT BELTS AND HARNESSSES

In the absence of manufacturer's recommendations, all installed seat belts and harnesses shall be subject to a schedule of Detailed Visual Inspection at periods not exceeding six months.

#### (8) HONG KONG AIRWORTHINESS NOTICES

Hong Kong Airworthiness Notices detail additional maintenance requirements. Procedures are in place to assess all Airworthiness Notices on a continuing basis for applicability to aircraft maintained to this Maintenance Schedule. Where necessary, relevant maintenance tasks should be included in the Maintenance Schedule.

## (9) VITAL POINTS AND CONTROL SYSTEMS

Whenever inspections are made or work is undertaken on vital points in flying or engine control systems, a detailed investigation must be made on completion of the task to ensure that all tools, rags or any other loose articles which could impede the free movement and safe operation of the system(s) have been removed and that the system(s) and installation in the aircraft zone are clean and unobstructed.

If, as a result of the application of the Maintenance Schedule, any part of either the main or any associated system is dismantled, isolated, adjusted, repaired or renewed, that part of the system(s) which has been disturbed shall be subjected to a duplicate/independent inspection, with free movement, range, direction and tension checks and shall be certified in accordance with HKAR-1 Sub-section 1.6-2.

**NOTE:** Independent inspection serves the purpose of ‘Duplicate Inspection’ as stipulated in various Hong Kong airworthiness requirements. ‘Duplicate inspection’ will be phased out with effect from 1 January 2020.

## (10) MAINTENANCE APPLICABLE TO SPECIFIC AIRCRAFT OPERATIONS

The Maintenance Schedule contains the necessary tasks required to ensure continued compliance with additional specific authorisations/approvals:

- Low Visibility Operations (LVO)
- Minimum Navigation Performance Specifications (MNPS)
- Reduced Vertical Separation Minima (RVSM)
- Extended Diversion Time Operations (EDTO)/Extended Range Twin Operations (ETOPS)
- Others (Specify)

## (11) CUSTOMER OR BUYER FURNISHED EQUIPMENT

The Maintenance Schedule contains the necessary tasks required to ensure the continued airworthiness of customer or buyer furnished equipment fitted to the aircraft.

## (12) ENGINE AND APU MAINTENANCE PROGRAMME

For engines and APUs which are controlled by a Reliability Centered Maintenance or

Condition Monitored Maintenance Programme, compliance with CAD 418.

Note: For engines and APUs controlled by a fixed Hot Section Inspection and Overhaul Life, no entry is required.

#### (13) MANDATORY REQUIREMENTS – AIRWORTHINESS DIRECTIVES AND MANUFACTURER’S SERVICE INFORMATION

HKAR-1 Sub-section 1.6-6 requires Operators to institute a system for the assessment of continuing airworthiness information. An Airworthiness Directive (AD) is a document issued or adopted by the Authority of the State of Registry of an aircraft which mandates the actions to be performed to restore an acceptable level of safety to an aircraft when an unsafe condition has been identified.

The constructor/manufacturer issues technical information in the form of Service Bulletins, Letters, Information Leaflets, etc. resulting from in-service experience. Compliance with the mandatory requirements of the Authority responsible for the type design of aircraft and equipment must be achieved unless the requirement is varied by the Director-General of Civil Aviation.

Continuing Airworthiness and other Service Information must be continuously evaluated by the Operator or the contracted Maintenance Organisation or the Fleet Technical Management Organisation and, where necessary, appropriate action must be taken to amend the Maintenance Schedule.

#### (14) FLIGHT RECORDER SYSTEMS

The Maintenance Schedule should contain the necessary tasks required to ensure that flight recorders, which include flight data recorders and cockpit voice recorders, remain serviceable with regard to the parameters to be recorded and the duration of the recording. In addition to the maintenance requirements stipulated by the aircraft and recorder manufacturers, the requirements of Hong Kong Airworthiness Notice No. 36F shall be complied with.

#### (15) MODE “S” TRANSPONDER ICAO 24-BIT AIRCRAFT ADDRESSES

The correct Mode S address should be periodically confirmed for each transponder installed on the aircraft, via a field test set at an appropriate maintenance opportunity (not

to exceed a 2-year period). This task should be incorporated into the Maintenance Schedule.

#### (16) IN-FLIGHT ENTERTAINMENT SYSTEMS (IFE)

Hong Kong Airworthiness Notice No. 65 is issued specific to IFE installations, which should be addressed and form part of the periodic schedule review. Appendix No. 1 to Hong Kong Airworthiness Notice No. 65 provides detailed guidance on the development of IFE scheduled maintenance tasks and solutions.

## Appendix E

Reserved.

## Appendix F

### MAINTENANCE SCHEDULE APPROVAL

CAD Approval Reference: .....

Operator's Schedule Reference ..... Issue No. .... Dated .....

Operator(s).....

Aircraft Applicability.....

For the purpose of..... Flying.

#### 1. CONDITIONS

- (a) The maintenance requirements must be completed within the period specified in the Maintenance Schedule, and the Maintenance Schedule shall be approved by CAD.
- (b) All amendments/alterations to the Schedule shall be approved by the CAD. No change to the Conditions or the Endorsement(s) shall be made other than by the CAD.
- (c) Prior permission of the CAD shall be obtained before any maintenance check is sub-divided.
- (d) Ensure all the recommendations made by Aircraft or Equipment Manufacturers in Maintenance Manuals, Recommended Maintenance Schedules, Service Bulletins and other technical service information are evaluated and, where appropriate, initiate Maintenance Schedule amendments.
- (e) In addition to the accomplishment of the maintenance actions prescribed in the Maintenance Schedule, compliance shall also be established with all appropriate mandatory requirements issued by the CAD and by the Type Certification Authority of the aircraft. Retirement life limitations prescribed by manufacturers shall also be observed unless otherwise directed by the Director-General of Civil Aviation, normally through the medium of Hong Kong Airworthiness Notices or CAD Additional Airworthiness Directives.
- (f) Non-compliance with any of the Conditions of the Maintenance Schedule Approval shall invalidate the approval of this Maintenance Schedule.

## 2. CERTIFICATION OF MAINTENANCE

- (a) Work carried out on aircraft maintained to this Maintenance Schedule requires the following certification:
  - (i) A Certificate of Maintenance Review (CMR)
  - (ii) A Certificate of Release to Service (CRS)
- (b) A Maintenance Review must be carried out.
- (c) A CRS must be issued whenever a Scheduled Maintenance Inspection has been carried out, except Pre-flight Check where no CRS is required.

## 3. GENERAL CONDITIONS

- (a) To ensure that Supplementary Special Inspection, Overhaul, Placard and Notice Requirements related to the specific aircraft are accurately entered in the appropriate supplement pages of the Schedule.

## 4. PERMITTED VARIATIONS TO MAINTENANCE PERIODS

1. Where the manufacturer has not prescribed tolerances or permitted variations in its maintenance schedule recommendations, then the permitted variations to maintenance periods described in sub-paragraphs 4 (a) to (e) shall apply. The Operator(s) may vary the periods prescribed by this Schedule provided that such variations are within the limits of the sub-paragraphs.
2. When the manufacturer has prescribed tolerances or permitted variation in this maintenance schedule recommendations, then these will apply. The details must be specified in the approved Maintenance Schedule. The periods prescribed by the approved Maintenance Schedule may be varied provided that such variations are within the manufacturer's prescribed permitted tolerances or permitted variations. Sub-paragraphs 4 (a) to (e) shall not apply to this type of variation.
3. Variations shall be permitted only when the periods prescribed by the approved Maintenance Schedule (or documents in support of the approved Maintenance Schedule) cannot be complied with due to circumstances which could not have been reasonably foreseen by the Operator.
4. The decision to vary any of the prescribed periods shall be made only by the authorised person or its contracted organisation for the management of the Maintenance Schedule per the approved Aircraft Maintenance Schedule procedures. Particulars of every variation so made shall be entered in the appropriate Log Book(s).

(a) **Items Controlled by Flight Hours**

<i>Period Involved</i>	<i>Maximum Variation of the Prescribed Period</i>
(i) 5000 flight hours or less	10%

- (ii) More than 5000 flight hours 500 flight hours

(b) **Items Controlled by Calendar Time**

<u>Period Involved</u>	<u>Maximum Variation of the Prescribed Period</u>
(i) 1 year or less	10% or 1 month, whichever is the lesser
(ii) More than 1 year but not exceeding 3 years	10% or 2 months, whichever is the lesser
(iii) More than 3 years	3 months

(c) **Items Controlled by Flight Cycles**

<u>Period Involved</u>	<u>Maximum Variation of the Prescribed Period</u>
(i) 500 flight cycles or less	10% or 25 flight cycles, whichever is the lesser
(ii) More than 500 flight cycles	10% or 500 flight cycles, whichever is the lesser

- (d) **Items Controlled by More Than One Limit.** For items controlled by more than one limit, e.g. items controlled by flight hours and calendar time or flight hours and flight cycles, the more restrictive limit shall be applied.

- (e) **Items Already Subject to CAD Trial Extension Programme.** For an item already subject to an agreed CAD trial extension programme, the trial period may be varied by a maximum of 50 flight hours only provided that such a variation is not specifically excluded by the agreed trial extension programme.

NOTES:

- (1) The variations permitted above do not apply to:
- (a) Those components for which an ultimate (scrap) or retirement life has been prescribed (e.g. primary structure of components with limited fatigue lives and high energy rotating parts or which containment is not provided). Details concerning all items of this nature are included in the Type Certificate Holder's documents or manuals.
  - (b) Those tasks included in the Maintenance Schedule, which have been classified as mandatory by the Type Certificate Holder or the CAD.
  - (c) Certification Maintenance Requirements (CMR).
- (2) Certain tasks under NOTES (1) (a) to (c) may be varied under a separate scheme specifically approved by the CAD. Such scheme shall be further defined in the General Rules / Sectional Rules of the individual Approved Maintenance Schedule.
- (3) Air Navigation (Hong Kong) Order 1995, Hong Kong Airworthiness Notices and Hong Kong Aviation Requirements may override these paragraphs 4(a) to (e).

## **Appendix G**

Reserved.

## Appendix H

Reserved.

## Appendix I

### MAINTENANCE SCHEDULE AMENDMENT REQUEST FORM

CAD Maintenance Schedule Ref: \_\_\_\_\_ Issue / Revision No: \_\_\_\_\_ Aircraft Type: \_\_\_\_\_

Operator Maintenance Schedule: \_\_\_\_\_ Issue / Revision Date: \_\_\_\_\_

Item	Action to be taken	Justification	CAD Remarks
1. Introduction page A	Replace with a new page  dated.....	Introduction of new check cycle	
2. Introduction page B	Replace with a new page  dated.....	Introduction of Aircraft Registration B-.....	
3. Page 45 – Item E12	Replace with a new page  dated.....	Revision of forward and aft pressure bulkhead inspection requirements. In accordance with manufacturer's latest requirements	

**COMPLIANCE STATEMENT:** This Maintenance Schedule complies with the manufacturer's minimum maintenance and inspection requirements and the requirements of the Civil Aviation Department for the airframe, engines (on wing), systems and components except wherein previously or hereby approved by the Civil Aviation Department.

Signed: \_\_\_\_\_ Position: \_\_\_\_\_ Date: \_\_\_\_\_

Organisation: \_\_\_\_\_ on behalf of : \_\_\_\_\_